

Type of the Paper (Article, Review, Communication, etc.)

Home Indoor Environmental Quality and Attention Deficit Hyperactivity Disorder

Sima Alizadeh ^{1*}, Catherine E. Bridge ², Bruce H. Judd ³ and Valsamma Eapen ⁴

¹ School of the Built Environment, Faculty of Arts, Design and Architecture, University of New South Wales, Sydney, NSW 2052, Australia; s.alizadeh@unsw.edu.au.

² School of the Built Environment, Faculty of Arts, Design and Architecture, UNSW, Sydney, Australia; c.bridge@unsw.edu.au

³ School of the Built Environment, Faculty of Arts, Design and Architecture, UNSW, Sydney, Australia; b.judd@unsw.edu.au

⁴ School of Psychiatry-SWSAHS, Faculty of Medicine and Health, UNSW, Sydney, NSW 2052, Australia; v.eapen@unsw.edu.au

Abstract: Indoor environmental quality (IEQ) has been found to influence children's health and behaviour, particularly conditions such as attention deficit hyperactivity disorder (ADHD). This research aimed to ascertain whether housing IEQ impacted symptoms of ADHD and related behaviours. This study involved 435 parents of children and adolescents (aged 5-17) with ADHD residing in Australia. We utilised an online survey tool comprising the home version of the ADHD Rating Scale for Children and Adolescents and the Housing Environmental Quality Assessment Tool. The findings revealed that all housing IEQ factors were associated with both diagnosis and severity of symptoms. Results indicated that, for over one in ten children with ADHD (13.3%), the diagnosis was impacted by a collective contribution of air quality, acoustic quality, lighting quality, and thermal comfort within their home. Air quality and thermal comfort predicted a 4% variance in the severity of inattention. Additionally, air and lighting qualities predicted a 9.7% variance in the severity of hyperactivity-impulsivity, and all the factors of air quality, acoustic quality, lighting quality, and thermal comfort predicted a 10.9% variance in the severity of combined ADHD. **In conclusion, this research provided insights into the importance of housing features and suggests that improving housing indoor environmental quality, mainly thermal comfort, air, and lighting quality, could positively correlate with alleviating ADHD symptoms and severity among children and adolescents.** Therefore, ensuring appropriate indoor environmental quality should be prioritised in housing design, modification, and building, especially for those with ADHD.

Keywords: ADHD; housing; environmental quality; children and adolescents; Australia

1. Introduction

Indoor Environmental Quality (IEQ) is the environmental conditions inside a building and their impacts on its occupants' mental and physical health, comfort, satisfaction, productivity, safety, and security [1, 2]. These conditions are also considered significant factors influencing occupants' assessment of their quality of life [3] and include air quality, noise, lighting, and thermal comfort [4]. Therefore, IEQ has become a significant public health issue.

IEQ has attracted more attention as people have been staying indoors longer [5]. Especially, during the recent COVID-19 pandemic, due to lockdowns, quarantine, isolation, and other social restrictions, people remained indoors even longer than in pre-covid times, thereby having more exposure to the influences of indoor environmental quality [6, 7]. Research has shown that generally, Australians spend around 90% of their time indoors

[8]. Children, while growing up, also spend most of their time (approximately 70%-85%) within their home environment [10-12].

Wyon and Wargocki [13] reported that adverse impacts of a poor indoor environment could be up to 10% for adults and over 20% for children. This shows that children are more sensitive to the adverse influences of indoor environmental quality while their organs and tissues are still actively developing [14, 15].

However, most existing Australian housing was designed and built considering the average user, a healthy, young, adult man [16-18]. Building regulations, therefore, need to be faster to recognise people with different abilities. This is especially so for children with different cognitive abilities, such as those diagnosed with attention-deficit/hyperactivity disorder (ADHD), who are extra sensitive to impacts from their everyday surroundings and home environment [19].

To address this gap, this project aimed to identify housing indoor environmental quality adversely impacting children's ADHD symptoms and behaviours. The findings are expected to contribute to the principles of potential housing characteristics that provide as supportive an environment as possible for these children.

ADHD is the most frequently diagnosed behavioural and neurodevelopmental disorder in childhood [20], characterised by one or more core symptoms of inattention, impulsivity, and hyperactivity [21, 22]. As many as 75% of children with ADHD are likely to report at least one other psychiatric condition (also referred to as a comorbid condition) [23, 24], such as anxiety, depression, sleep disorders, learning disabilities, and autism [25-28].

Today, ADHD impacts more children worldwide and occurs across different cultures, races, socioeconomic status, and intelligence levels [29]. The prevalence of ADHD has risen substantially in recent decades, labelled by the Centers for Disease Control and Prevention (CDC) as "a serious public health problem" [30]. A meta-regression analysis of international epidemiological research has shown a worldwide pooled ADHD prevalence of 5.3% in 2007 [31]. While a more recent meta-analysis of 175 research studies worldwide in 2015 found a growth in ADHD prevalence to 7.2% (roughly 129 million) among children aged 18 and under [32].

Children with ADHD are extra sensitive to their environment [33]. Because of their sensory dysfunction, they are also influenced by their physical and social environments, such as through emotional, visual, and auditory effects [34-36]. That is, they experience significant difficulty remaining focused in an environment with various sensory inputs, which has a far-reaching impact on their capabilities and mental wellbeing [19]. This suggests that the home's indoor environmental quality can significantly impact their health and daily life.

Exposure to poor IEQ can cause short-term (e.g. allergies, asthma) and long-term (e.g. cardiovascular problems, acute respiratory disease, skin infection) effects [1, 37-40], with links to physical and mental health impacts [41]. Behaviour toxicity is also caused by undesirable effects of poor IEQ, such as indoor air pollutants and certain building materials that release chemicals or use gas for cooking [42, 43].

Several behavioural toxins and hazardous materials (e.g. lead, mercury, and manganese) impact psychological wellbeing and are linked to the symptoms of anxiety and depression [44]. Many studies about behavioural toxins, including heavy metals, pesticides, and solvents, have also centred around neurological and cognitive effects [45]. An example is cognitive deficits related to early childhood lead exposure [46]. Lead obstructs self-regulatory behaviour in children (such as focused concentration and frustration tolerance), which is associated with behavioural issues and conduct disorder (e.g. yelling, fighting, and other forms of aggression) [47, 48]. Exposure to heavy metals (e.g. lead, manganese, zinc, molybdenum) has also been explicitly linked to ADHD and learning disorders in school-aged children [49-51].

A meta-analysis of 27 articles with over 3 million subjects about air pollutants caused by smoke found that even prenatal exposure to maternal smoking during pregnancy or

smoking termination during the first three months of pregnancy were significantly associated with childhood ADHD after controlling for socioeconomic status and parental psychiatric history [52]. High levels of carbon dioxide in the air, produced by human respiration, can cause headaches, drowsiness, and concentration problems [53]. A study on eight different European schools ($n \approx 800$) observed that higher carbon dioxide levels in classrooms, caused by poor ventilation, reduced students' concentration and performance on tests and increased students' complaints of health issues [54].

Noise exposure also disrupts health and mental wellbeing. Research has found a dose-response relationship between traffic noise and psychological distress among children [55]. It has also revealed that airport noise adversely influenced children's and adults' psychological wellbeing [56, 57]. Other studies have also shown that different sound levels can affect children's ability to concentrate [58–60], and lower noise levels can increase children's capacity to focus [61]. More specifically, research has indicated the significance of acoustic quality for people with neurological, attention, and cognitive impairments such as ADHD and autism spectrum disorder (ASD). For example, Tufvesson [62] found that one of the environmental factors affecting children's attention was interior acoustic issues such as background noise and sound filtration (e.g. sound filtrated into a room). Mostafa [63] mentioned that if a space requires high acoustical quality, such as a bedroom or study room, it may be preferable to reduce the openings in number and size. The windows themselves should be double- or triple-glazed.

In this regard, Evans [64] showed that levels of illumination, especially the amount of daylight exposure, affect psychological wellness. In a study of design considerations of an ideal classroom environment for children with ASD, high-level glazing windows (to prevent unwanted sunlight and glare), lighting type (dimmable, not fluorescent), volumetric expression, background noise, and quiet rooms were found to be highly significant [65, 66]. Studies have revealed that both artificial light [35, 67, 68] and daylight [62, 69] impact the attention and behaviour of children. Lighting is also referred to in several 'autism-friendly' design guidelines, most frequently about avoiding fluorescent lighting and glare [70–73]. Similarly, Mostafa [63] showed that the type of artificial lighting is important and those with ADHD report high sensitivity to strong light. Other research has also found that classrooms with exposed fluorescent lighting increased hyperactive behaviours (fidgeting, lack of concentration) among children with ADHD [74]. Both the flickering light and the low humming sound that fluorescent lighting emits cause visual and auditory issues creating a disturbing luminous environment for these children and increasing their hyperactive behaviours [63].

Research has shown that natural light, especially morning light, is preferable to provide adequate lighting in an area for children with ADHD to recover their symptoms. Morning light therapy improves circadian rhythm sleep disorders and shifts sleep toward an earlier circadian timing [75]. Cross-states (49 U.S. states) and multinational (9 non-U.S. countries) studies found that the prevalence of ADHD is less in zones with higher exposure to solar intensity (particularly morning light) after controlling for demographic, socioeconomic and perinatal (e.g. low birth weight and infant mortality) factors [76]. However, lighting should be used indirectly to reduce distractibility [63, 77]. Direct or too much daylight has been shown to cause distraction and interrupt children's concentration, especially in areas where focus and attention are essential [78].

A few studies have examined the links between mental health and thermal comfort. In a study on European housing, Bonnefoy et al. [79], found a relationship between depression/anxiety and residing in a home with insufficient protection against exposure to external factors, such as cold and draughts, in addition to noise and lack of light. Research on 21 Dutch school buildings revealed that children's health and comfort in their classroom environment were mainly influenced by noise and smell, followed by sunlight and temperature [80]. Higher temperature and humidity increased students' reports of discomfort, and their attainment and task performance declined as concentration spans reduced [81]. Regarding children with ADHD, it has been assumed that a hyperactive

individual may require a cooler environment than a less active or sedentary one [63]. However, not enough research has been done on ADHD and thermal comfort.

3. Materials and Methods

This study employed an observational design where ADHD diagnosis outcome and the IEQ exposures of survey participants were examined to assess the indoor environmental quality within the home setting, targeting the population of children and adolescents with ADHD in Australia. Data was collected from 435 participants through a random sampling technique by administering an anonymous (self-administered) online questionnaire on relevant organisations' web pages, social media, and online community platforms. Participants were parents (including a few legal guardians and carers) of children and adolescents (5-17 years of age) with a diagnosis of ADHD residing in Australia.

Two instruments were used in this study for data collection: 1) the Housing Environmental Quality Assessment tool (HEQAT) for measuring home indoor environmental quality, including air quality, acoustic quality, lighting quality, and thermal comfort. 2) The ADHD Rating Scale-IV for Children and Adolescents (Home Version) [82] to evaluate the diagnosis of ADHD and the severity of symptoms among children and adolescents. The core symptoms of ADHD diagnosis were evaluated, including inattention (IA), hyperactivity/impulsivity (HI), and combined ADHD type (COM), as well as ADHD with comorbid conditions that parents reported.

A control group was also included in this study for making comparisons. It comprised children and adolescents whose ADHD scores on the ADHD Rating Scale did not reach the cut-off point of inattention and/or hyperactivity-impulsivity scores based on the user manual guide for scoring. The severity of ADHD symptoms was measured in percentiles.

The research analyses were carried out using IBM SPSS Statistics software. Chi-Square (χ^2) test or Fisher's exact test and one-way ANOVAs were used to compare the difference in housing environmental quality factors associated with the diagnosis of ADHD symptoms. Univariate analyses of variances and Pearson's Correlation Coefficient were conducted to explore the relationship between housing environmental quality factors and the severity of ADHD symptoms. Multinomial Logistic Regression and Stepwise Linear Regression analyses were performed to evaluate the predictive power of IEQ factors for ADHD diagnosis and ADHD severity and to explore the most significant contributing co-variables within the regression models.

4. Data Analyses and Results

Housing IEQ was measured by both objective and subjective format questions relating to four aspects: air quality, acoustic quality, lighting quality, and thermal comfort. To explore their relationship with an ADHD diagnosis and the severity of symptoms (as dependent variables), 13 items were entered into the analyses. These items studied each aspect of IEQ from different viewpoints, including the ratings of their suitability and the level of controllability. The associations of relevant issues were also explored. Subjective-format questions such as the rate of suitability were measured using 5-point Likert scales with the choices from very unsuitable to very suitable. Objective-format questions such as level of controllability or relevant issues were measured using multiple-choice questions and required participants to identify attributes or conditions at home such as the presence or absence of specific items. Additionally, the direction of the windows of the home's main living area was considered in evaluating the quality of natural lighting and the amount of sunlight exposure in the home. However, the studied housing IEQ parameters were not measured on the site by the researchers as the survey was conducted in the form of an anonymous (self-administered) online questionnaire.

Before conducting inferential analysis, descriptive analysis was performed, and the normality of data distribution was tested. Table 1 presents the descriptive analysis

including frequency statistics of the research variables indicating a symmetrical distribution of the data.

Table 1. Descriptive analysis: frequency statistics of research variables.

Research Variables	Central Tendency			Dispersion		Distribution		
	Mean	Median	Mode	Std. Deviation	Variance	Range	Skewness	Kurtosis
ADHD Diagnosis	2.63	3.00	3.00	1.17	1.37	4	-.925	-.054
IA Severity	3.29	3.31	3.66	.951	.905	4.52	.148	-.038
HI Severity	3.34	3.47	3.66	1.24	1.55	5.83	-.475	.089
COM Severity	3.59	3.47	5.29	1.04	1.09	4.74	.077	-.677
IEQ	3.66	3.60	3.60	.643	.414	3.20	-.059	-.239

4.1. ADHD and air quality

There was a borderline significant relationship between ADHD diagnosis in children and air quality issues within the home (Fisher's Exact Test = 8.56, $p = .056$), indicating that children with ADHD and comorbid conditions were more likely to report unpleasant odours (14.1%) and less likely to report the absence of unpleasant odours (85.9%) (Appendix A1). It was also found that children of parents who reported stuffy or stale air within the home environment scored lower on the inattention severity compared to children of parents who did not report such air conditions (Table 2, Appendix A2).

Regarding the controllability of air quality, there was a significant difference between using a vacuum cleaner in the home and the severity of inattention, hyperactivity-impulsivity, and combined ADHD type (Table 2). The severity of ADHD symptoms was significantly higher in those residing in homes where a vacuum cleaner was not used compared to homes where a vacuum cleaner was used (Appendices A3–A5). Having indoor plants also showed a borderline significant association with lower severity of hyperactivity-impulsivity, indicating that hyperactive-impulsive children who had indoor plants within their home showed milder symptoms than those who did not have indoor plants (Table 2, Appendix A6).

Table 2. Relationship between air quality and severity of ADHD symptoms.

Air quality	ADHD severity	N	df	F	Mean Difference	Std. Error	Sig.
Stuffy or stale air	Inattention	387	1	4.91	.275	.124	.027
	Inattention	386	1	6.92	.638	.242	.009
Vacuum cleaner	Hyperactivity-impulsivity	385	1	18.56	1.379	.320	.000
	Combined ADHD	386	1	20.97	1.202	.262	.000
Indoor plants	Hyperactivity-impulsivity	385	1	3.74	.251	.130	.054

Pairwise comparisons by Bonferroni.

4.2. ADHD and acoustic quality

The reported suitability of acoustic quality was significantly lower within the homes of children with ADHD and comorbid conditions than in the control group (Table 3, Appendix B1). Also, the severity of hyperactivity-impulsivity and combined ADHD type showed a very weak, negative, significant relationship with parents' ratings of the suitability of acoustic quality within their home, indicating that the severity of these ADHD

symptoms was significantly lower in children residing in homes with more suitable acoustic quality (Table 3, [Appendices B2-B3](#)).

Table 3. Relationship between acoustic quality and ADHD diagnosis and severity of symptoms.

Acoustic quality	ADHD diagnosis and severity of symptoms	N	df	F	Pearson Correlation (2-tailed)	Mean	Std. Deviation	Std. Error	Sig.
Suitability of acoustic quality	Control group (no ADHD)					3.67	.994	.182	
	ADHD with comorbid conditions	378	4	3.13	-	3.18	.951	.069	.015
	Severity of hyperactivity-impulsivity	382	-	-	-.118	-	-	-	.021
	Severity of combined ADHD	383	-	-	-.115	-	-	-	.024

Post hoc test: Bonferroni.

4.3. ADHD and lighting quality

A borderline significant association was found between artificial lights flickering within the home and an ADHD diagnosis (Fisher's Exact Test = 8.39, $p = .052$). Children with ADHD and comorbid conditions were more likely to report artificial light flickering within the home environment (11.9%) and were least likely to report no artificial light flickering (88.1%) ([Appendix C1](#)). Moreover, the reported suitability of artificial lighting quality (or electrical lighting) showed a very weak, negative, significant relationship with the severity of hyperactivity-impulsivity in children, indicating that the severity of hyperactivity-impulsivity was higher in children with unsuitable artificial lighting quality within their home (Table 4, [Appendix C2](#)).

The analyses also revealed that the severity of hyperactivity-impulsivity was significantly higher in children whose parents reported reflection or glare caused by lighting within the home compared with children of parents that did not report reflection or glare (Table 4, [Appendix C3](#)). The severity of hyperactivity-impulsivity and combined ADHD were also higher in children whose parents reported too much daylight within the home environment compared to children whose parents did not report too much daylight (Table 4, [Appendices C4-C5](#)).

There was a borderline significant mean difference in the severity of combined ADHD in children whose parents reported insufficient artificial lighting within the home environment compared with children of parents that did not report insufficient lighting (Table 4). This indicated that the severity of combined ADHD was higher in children living in a home environment with insufficient artificial lighting ([Appendix C6](#)).

A significant association was found between the direction of the windows' placement within the home's main living area and the severity of hyperactivity-impulsivity ($p = .036$) and combined ADHD type ($p = .040$). The severity of hyperactivity-impulsivity and combined ADHD in children was higher when windows within the home's main living area faced south and exposed to less sunlight or natural lighting. While children who lived in homes where the main windows faced towards the east or north, which received more sunlight or natural lighting, showed less severe symptoms (Table 4, [Appendices C7-C8](#)).

Furthermore, hyperactive-impulsive children and those with combined ADHD type experienced milder symptoms in homes where the main windows faced east, receiving morning light, while those living in homes where the main windows faced towards the west, indicative of receiving afternoon light, had more severe symptoms (Table 4, [Appendices C7-C8](#)).

Table 4. Relationship between lighting quality and severity of ADHD symptoms.

Lighting quality	ADHD severity	N	df	F	Pearson Correlation (2-tailed)	Mean Difference	Std. Error	Sig.
Suitability of artificial lighting quality	Hyperactivity-impulsivity	368	-	-	-.118	-	-	.024
Reflection or glare	Hyperactivity-impulsivity	378	1	4.88	-	-.420	.190	.028
Too much daylight	Hyperactivity-impulsivity	378	1	7.14	-	-.555	.208	.008
	Combined ADHD	379	1	6.03	-	-.435	.177	.015
Insufficient artificial lighting	Combined ADHD	379	1	3.52	-	-.315	.168	.062
Windows' placement facing south vs. east*	Hyperactivity-impulsivity	377	5	2.41	-	.588	.203	.004
	Combined ADHD	377	5	2.35	-	.478	.172	.006
Windows' placement facing south vs. north*	Hyperactivity-impulsivity	377	5	2.41	-	.439	.179	.014
	Combined ADHD	377	5	2.35	-	.318	.151	.036
Windows' placement facing east vs. west*	Hyperactivity-impulsivity	377	5	2.41	-	-.408	.203	.045
	Combined ADHD	377	5	2.35	-	-.441	.171	.010

Pairwise comparisons by Bonferroni.

*Pairwise comparisons by LSD Test.

4.4. ADHD and thermal comfort

The reported suitability of thermal comfort showed a very weak, negative, significant relationship with the severity of combined ADHD in children, indicating that the severity of combined ADHD was significantly lower in children with a more suitable thermal comfort within their home (Table 5, [Appendix D1](#)).

There was a significant association between ADHD diagnosis and the use of a ceiling fan to control air temperature (Fisher's Exact Test = 9.60, $p = .047$), indicating that children with the hyperactive-impulsive type (72.2%) were significantly more likely to use a ceiling fan within the home ([Appendix D2](#)). Using a ceiling fan was also significantly correlated with the severity of inattention and combined ADHD type (Table 5). Children of parents who used a ceiling fan scored significantly lower on the severity of inattention and combined ADHD compared to children of those who did not use a ceiling fan ([Appendices D3-D4](#)).

Also, using a permanent heater showed a significant correlation with the severity of combined ADHD type and hyperactivity-impulsivity (borderline significance) (Table 5). Children whose parents reported using a permanent heater scored lower on the severity of combined ADHD and hyperactivity-impulsivity than children whose parents did not report using a permanent heater at home ([Appendices D5-D6](#)). Furthermore, a higher severity of combined ADHD type was found in children whose parents reported not having an indoor gas fireplace compared with children with such a fireplace at home (Table 5, [Appendix D7](#)).

Other thermal comfort issues within the home, such as having problems with tropical weather, having parts of the home very cold or very hot, or low airflow in some rooms, as reported by participants, also had a significant association with ADHD diagnosis (Fisher's Exact Test = 9.91, $p = .027$). Children with ADHD and comorbid conditions (88.2%) were more likely to report other thermal comfort issues in the home environment than children with combined ADHD type (97.4%) ([Appendix D8](#)).

Table 5. Relationship between thermal comfort and severity of ADHD symptoms.

Thermal comfort	ADHD severity	N	df	F	Pearson Correlation (2-tailed)	Mean Difference	Std. Error	Sig.
Suitability of thermal comfort	Combined ADHD	390	-	-	-.105	-	-	.038
Ceiling fan	Inattention	390	1	5.19	-	.227	.100	.023
	Combined ADHD	390	1	5.63	-	.261	.110	.018
Permanent heater	Combined ADHD	390	1	4.46	-	.365	.173	.035
	Hyperactivity-impulsivity	389	1	3.83	-	.403	.206	.051
Indoor gas fireplace	Combined ADHD	386	1	5.41	-	.417	.179	.021

Pairwise comparisons by Bonferroni.

4.5. The contribution of IEQ to the prediction of ADHD

Multinomial logistic regression (with a 95% confidence interval) was conducted to determine the power of indoor environmental quality in predicting an ADHD diagnosis and to explore the strongest contributing IEQ variable(s). The overall model of the contribution of housing IEQ in the prediction of an ADHD diagnosis was significant (χ^2 (20) = 50.15, $p < .001$). 13.3% (Nagelkerke R-Square) of the variance of having an ADHD diagnosis was explained by a collective contribution of the five variables reflecting issues with air quality, suitability of acoustic quality, issues with lighting quality, controllability of thermal comfort, and issues with thermal comfort within the home environment. Having an issue relating to thermal comfort (χ^2 (4) = 9.91, $p = .042$, $b = 1.62$) was the strongest predictor within the model, followed by artificial lighting flickers (χ^2 (4) = 10.02, $p = .040$, $b = 1.18$) and using a ceiling fan (χ^2 (4) = 11.00, $p = .027$, $b = -1.11$). While the suitability of acoustic quality (χ^2 (4) = 11.79, $p = .019$, $b = 0.57$) was indicated to be the weakest predictor within the model.

Stepwise linear regression was performed to measure the power of indoor environmental quality in predicting ADHD severity and to explore the strongest contributing IEQ variable(s). A significant collective correlation was found between indoor environmental quality and the severity of all ADHD symptoms ($p < .001$). Air quality and thermal comfort predicted 4% of the variance in severity of inattention (F (3, 383) = 5.32, $R^2 = .040$). Using a vacuum cleaner was the strongest predictor ($t = -2.32$, $p = .021$, $\beta = -0.53$) and using a ceiling fan was the weakest predictor ($t = -2.30$, $p = .022$, $\beta = -0.22$) in this model.

Air and lighting quality predicted 9.7% of the variance in severity of hyperactivity-impulsivity (F (5, 359) = 7.73, $R^2 = .097$). Using a vacuum cleaner ($t = -3.91$, $p < .001$, $\beta = -1.17$) was the strongest predictor in the model, followed by reflection or glare caused by lighting ($t = 2.62$, $p = .009$, $\beta = 0.50$). Windows of the main living area facing north ($t = -2.09$, $p = .037$, $\beta = -0.30$) and too much daylight ($t = 1.90$, $p = .059$, $\beta = 0.39$) were the weakest predictors in this model.

Air quality, acoustic quality, lighting quality, and thermal comfort predicted 10.9% of the variance in severity of combined ADHD (F (5, 369) = 9.06, $R^2 = .109$). Using a vacuum cleaner ($t = -4.50$, $p < .001$, $\beta = -1.13$) was the strongest predictor in the model, followed by windows of the main living area facing east ($t = -3.23$, $p = .001$, $\beta = -0.46$). Suitability of acoustic quality ($t = -2.21$, $p = .028$, $\beta = -0.12$) and using a ceiling fan ($t = -2.14$, $p = .033$, $\beta = -0.22$) were the weakest predictors in this model.

5. Discussion

Children spend most of their time indoors while most existing housing has been designed and built without considering their needs, especially for those with different

cognitive abilities such as children diagnosed with ADHD who are extra sensitive to impacts from their everyday surroundings. Therefore, this study aimed to identify housing indoor environmental quality that may adversely impact children's ADHD symptoms and behaviours.

Our findings build on the literature regarding environmental influences on ADHD in other settings, such as schools (e.g. the impact of noise on children with ADHD in a study conducted by Tufvesson [62]). The results of our study showed a relationship between all IEQ factors with ADHD diagnosis and the severity of symptoms. More specifically, housing indoor environmental quality was significantly associated with a diagnosis of ADHD relative to issues with air quality, suitability of acoustic quality, issues with lighting quality, controllability of thermal comfort, and issues with thermal comfort. Among these items, having an issue with thermal comfort was the strongest contributor, followed by issues associated with lighting quality and controllability of thermal comfort.

Also, housing IEQ was significantly associated with the severity of ADHD symptoms in terms of controllability of air quality, issues with air quality, suitability of acoustic quality, the direction of main home windows, suitability of artificial lighting, issues with lighting quality, controllability of thermal comfort, and suitability of thermal comfort. Controllability of air quality was the strongest contributor, followed by the main home windows' direction and thermal comfort's controllability.

Some of our results were congruent with prior studies such as the findings about the importance of air, lighting, and acoustic quality for children with ADHD. In support of our findings, previous research has linked the development of neurological disorders, learning disabilities, and cognitive deficits (such as ADHD and ASD) with exposure to environmental pollutants and toxic chemicals [45-47].

Consistent with our findings, studies have also shown that artificial light [67] and daylight [69] affect children's behaviour and concentration ability. Although natural lighting is one of the important elements to achieve adequate lighting in the area for ADHD and ASD [83], as also shown in our findings, too much daylight or direct natural lighting (glare) can increase distraction and affect a child's performance, especially at school [63, 77, 78].

In line with our findings, former research has also shown that low acoustic quality and noise adversely influenced children's psychological wellbeing [55, 56] and caused inattention and misbehaviour in children with ADHD and ASD [65, 77, 83].

Some of the research outcomes are novel and considered as an initial step that makes a significant contribution to existing knowledge. In this regard, our research revealed that maintaining thermal comfort in the home environment is more significant for children with ADHD which has been poorly covered in the literature, if not neglected. Thus, our findings suggest that besides having suitable acoustic quality, air (such as air free from unpleasant smell or dust), and sufficient lighting (avoiding too much daylight or insufficient artificial lighting), it is important to use a heater and fan to provide a comfortable temperature within the home environment. Morning daylight and using a vacuum cleaner for cleaning the home were also found important.

One of the limitations is that although children and adolescents in this study were diagnosed to have ADHD by a healthcare professional, there may be a measurement bias as we relied only on the parental report of ADHD symptoms and severity.

Despite these limitations, the current study is among the first nationally representative studies with a large sample size to document the associations between ADHD among children and adolescents with their home IEQ in Australia.

6. Conclusion

In conclusion, this research has provided insights into the importance of housing features and suggests that improving housing indoor environmental quality, mainly thermal comfort, air, and lighting quality, could positively correlate with alleviating ADHD symptoms and severity among children and adolescents. While the association between

IEQ and ADHD diagnosis/severity does not equate to causality, the findings suggest that IEQ is an important determinant in creating an ADHD-friendly living space.

Future research should extend the findings of this exploratory research by qualitatively testing the associations between housing indoor environmental quality and ADHD with a focused sample group as well as qualitatively and quantitatively testing housing preferences by children themselves rather than their parents.

Author Contributions: Conceptualization, Sima Alizadeh; Data curation, Sima Alizadeh; Funding acquisition, Sima Alizadeh; Investigation, Sima Alizadeh; Methodology, Sima Alizadeh; Supervision, Catherine Bridge, Bruce Judd and Valsamma Eapen; Validation, Sima Alizadeh; Writing – original draft, Sima Alizadeh; Writing – review & editing, Catherine Bridge, Bruce Judd and Valsamma Eapen.

Funding: This research was funded by an Australian Government Research Training Program Scholarship.

Institutional Review Board Statement: The study was approved by the Institutional Ethics Committee of the University of New South Wales (HC200539; 06/10/2020).


Informed consent Statement: Informed consent was obtained from all subjects involved in the study.

Data Availability Statement: Not applicable.


Acknowledgments: The authors would like to acknowledge the Commonwealth's support and fund allocated to this project by an "Australian Government Research Training Program Scholarship". We are also grateful to those who participated in this research. This work is part of a research thesis in partial fulfilment of the degree of Doctor of Philosophy at the University of New South Wales, Australia.

Conflicts of Interest: The authors declare no conflict of interest.


Appendix A: ADHD and Air Quality




A1: Significant difference in the diagnosis of ADHD symptoms in terms of air quality issues within the home: unpleasant odours




A2: Significant difference in the severity of inattention in terms of issues about air quality in the home: stuffy or stale air




A3: Significant difference in the severity of inattention in terms of using a vacuum cleaner to control air quality within the home



A4: Significant difference in the severity of hyperactivity-impulsivity in terms of using a vacuum cleaner to control air quality within the home




A5: Significant difference in the severity of combined ADHD in terms of using a vacuum cleaner to control air quality within the home




A6: Significant difference in the severity of hyperactivity-impulsivity in terms of having indoor plants to adjust air quality within the home


Appendix B: ADHD and Acoustic Quality



B1: Significant difference in the diagnosis of ADHD symptoms in terms of the suitability rating of acoustic quality




B2: Significant relationship between the severity of hyperactivity-impulsivity and the suitability rating of acoustic quality within the home




B3: Significant relationship between the severity of combined ADHD and the suitability rating of acoustic quality within the home


Appendix C: ADHD and Lighting Quality




C1: Significant difference in the diagnosis of ADHD symptoms in terms of lighting quality issues within the home: artificial lights flickering




C2: Significant relationship between the severity of hyperactivity-impulsivity and the suitability rating of artificial lighting within the home




C3: Significant difference in the severity of hyperactivity-impulsivity in terms of issues with lighting quality within the home: reflections or glare caused by lighting




C4: Significant difference in the severity of hyperactivity-impulsivity in terms of issues with lighting quality within the home: too much daylight




C5: Significant difference in the severity of combined ADHD in terms of issues with lighting quality within the home: too much daylight



C6: Significant difference in the severity of combined ADHD in terms of issues about lighting quality within the home: insufficient artificial lighting




C7: Significant difference in the severity of hyperactivity-impulsivity in terms of the direction of home main windows: amounts of sunlight exposure in the home




C8: Significant difference in the severity of combined ADHD in terms of the direction of home main windows: the amount of sunlight exposure in the home


Appendix D: ADHD and Thermal Comfort




D1: Significant relationship between the severity of combined ADHD and the suitability rating of thermal comfort within the home




D2: Significant difference in the diagnosis of ADHD symptoms in terms of using a ceiling fan to adjust or control thermal comfort within the home




D3: Significant difference in the severity of inattention in terms of using a ceiling fan to adjust or control thermal comfort within the home




D4: Significant difference in the severity of combined ADHD in terms of using a ceiling fan to adjust or control thermal comfort within the home




D5: Significant difference in the severity of combined ADHD in terms of using a permanent heater to adjust or control thermal comfort within the home



D6: Significant difference in the severity of hyperactivity-impulsivity in terms of using a permanent heater to adjust or control thermal comfort within the home



D7: Significant difference in the severity of combined ADHD in terms of having an indoor gas fireplace within the home



D8: Significant difference in the diagnosis of ADHD symptoms in terms of other thermal comfort issues within the home

References

1. Bluyssen, P.M. and C. Cox, *Indoor environment quality and upgrading of European office buildings*. Energy and Buildings, **2002**. 34(2): p. 155-162.

2. Fisk, J.W., *How IEQ affects health, productivity*. ASHRAE Journal, **2002**. 44(5): p. 56-60.

3. Yoon, S.-H., *An Integrative Approach: Environmental Quality (EQ) Evaluation in Residential Buildings*, in *Architecture*. **2008**, The University of Michigan.

4. Al Horr, Y., et al., *Occupant productivity and office indoor environment quality: A review of the literature*. Building and Environment, **2016**. 105: p. 369-389.

5. Woo, J.H., *Towards sustainable workplaces: Effects of indoor environmental quality on occupant comfort and work performance*, in *Faculty of Built Environment*. **2010**, The University of New South Wales: Sydney. p. 248.

6. Ansari, M. and S. Ahmadi Yousefabad, *Potential threats of COVID-19 on quarantined families*. Public Health, **2020**. 183: p. 1. 504
7. Cheshmehzangi, A., *Housing and health evaluation related to general comfort and indoor thermal comfort satisfaction during the COVID-19 lockdown*. Journal of Human Behavior in the Social Environment, **2021**. 31(1-4): p. 184-209. 505
8. Department of Climate Change Energy the Environment and Water. *Indoor air*. DCCEEW n.d. [cited 2022 31 Oct]; Available from: <https://www.dcceew.gov.au/environment/protection/air-quality/indoor-air#:~:text=It%20is%20generally%20recognised%20that,more%20of%20their%20time%20indoors.> 506
9. Klepeis, N.E., et al., *The National Human Activity Pattern Survey (NHAPS): a resource for assessing exposure to environmental pollutants*. Journal of Exposure Science & Environmental Epidemiology, **2001**. 11(3): p. 231-252. 507
10. National Research Council, *Indoor Air Pollutants*. **1981**, Washington DC: National Academy Press. 508
11. Mendell, M.J. and G.A. Heath, *Do indoor pollutants and thermal conditions in schools influence student performance? A critical review of the literature*. Indoor Air, **2005**. 15: p. 27-52. 509
12. Wherry, J.H., *The influence of home on school success*. Journal of Principal, **2004**. 84(1): p. 6-7. 510
13. Wyon, D.P. and P. Wargocki, *How Indoor Environment Affects Performance*. ASHRAE Journal, **2013**. 55(3): p. 46–52. 511
14. Faustman, E.M., et al., *Mechanisms underlying Children's susceptibility to environmental toxicants*. Environmental health perspectives, **2000**. 108(Suppl 1): p. 13-21. 512
15. McCurdy, L.E., et al., *Using Nature and Outdoor Activity to Improve Children's Health*. Current Problems in Pediatric and Adolescent Health Care, **2010**. 40(5): p. 102-117. 513
16. Burns, N., *Negotiating difference: disabled people's experiences of housebuilders*. Housing Studies, **2004**. 19(5): p. 765-780. 514
17. Heylighen, A., *Sustainable and inclusive design: a matter of knowledge?* Local Environment, **2008**. 13(6): p. 531-540. 515
18. Imrie, R., *Architects' Conceptions of the Human Body*. Environment and Planning D: Society and Space, **2003**. 21(1): p. 47-65. 516
19. Barber, S., L. Grubbs, and B. Cottrell, *Self-Perception in Children with Attention Deficit/Hyperactivity Disorder*. Journal of Pediatric Nursing, **2005**. 20(4): p. 235-245. 517
20. Remschmidt, H., *Global consensus on ADHD/HKD*. European Child & Adolescent Psychiatry, **2005**. 14(3): p. 127-137. 518
21. APA, *Diagnostic and statistical manual of mental disorders 4 (DSM-IV)* ed. **1994**, Washington DC: American Psychiatric Association. 519
22. Bruce, B., G. Thernlund, and U. Nettelbladt, *ADHD and language impairment: A study of the parent questionnaire FTF (Five to Fifteen)*. European Child & Adolescent Psychiatry, **2006**. 15(1): p. 52-60. 520
23. Barkley, R.A., K.R. Murphy, and M. Fischer, *ADHD in adults: What the science says*. **2010**, New York: The Guilford Press. 521
24. Barkley, R.A., *Attention-deficit hyperactivity disorder: A handbook for diagnosis and treatment*. 3rd ed. **2006**, New York: The Guilford Press. 3-785. 522
25. Biederman, J., J. Newcomb, and S. Sprich, *Comorbidity of attention deficit hyperactivity disorder with conduct, depressive, anxiety, and other disorders*. American Journal of Psychiatry, **1991**. 148: p. 564-577. 523
26. Bartholomew, K. and J. Owens, *Sleep and ADHD: A review*. Medicine and Health Rhode Island, **2006**. 89(3): p. 91-93. 524
27. National Resource Center on ADHD. *ADHD, Sleep, and Sleep Disorders*. **2007** [cited 2019 12 Aug]; Available from: <https://adhdaustralia.org.au/wp-content/uploads/2015/08/ADHD-Sleep-and-Sleep-Disorders-5D.pdf>. 525
28. Antshel, K.M., Y. Zhang-James, and S.V. Faraone, *The comorbidity of ADHD and autism spectrum disorder*. Expert Review of Neurotherapeutics, **2013**. 13(10): p. 1117-1128. 526
29. Geng, G., *Investigation of teachers' verbal and non-verbal strategies for managing Attention Deficit Hyperactivity Disorder (ADHD) students' behaviours within a classroom environment*. Australian Journal of teacher education, **2011**. 36(7): p. 2. 527
30. CDC. *Attention deficit/hyperactivity disorder (ADHD)*. **2022** August 9 [cited 2022 27 October]; Available from: www.cdc.gov/ncbddd/adhd/research.html. 528

31. Polanczyk, G., et al., *The worldwide prevalence of ADHD: a systematic review and metaregression analysis*. The American Journal of Psychiatry, **2007**. 164(6): p. 942-948. 545 546
32. Thomas, R., et al., *Prevalence of Attention-Deficit/Hyperactivity Disorder: A Systematic Review and Meta-analysis*. American Academy of Pediatrics, **2015**. 135(4): p. e994-e1001. 547 548
33. Zentall, S.S., *Theory- and Evidence-Based Strategies for Children with Attentional Problems*. Psychology in the Schools, **2005**. 42(8): p. 821-836. 549 550
34. Thapar, A., et al., *Predictors of antisocial behaviour in children with attention deficit hyperactivity disorder*. European Child & Adolescent Psychiatry, **2006**. 15(2): p. 118-125. 551 552
35. Green, K., *ADHD Light Sensitivity: The Link with Hypersensitivity & Sensory Processing*. **2018**, TheraSpecs. 553
36. Low, K., *Understanding Hypersensitivity in ADHD*, in *verywellmind*. **2019**. 554
37. Bailie, R., et al., *Exploring cross-sectional associations between common childhood illness, housing and social conditions in remote Australian Aboriginal communities*. BMC Public Health, **2010**. 10(147). 555 556
38. Shaw, M., *Housing and Public Health*. Annual Review of Public Health, **2004**. 25: p. 397-418. 557
39. Fisk, W.J. and A.H. Rosenfeld, *Estimates of Improved Productivity and Health from Better Indoor Environments*. Indoor Air, **1997**. 7(3): p. 158-172. 558 559
40. Wigle, D.T., *Child Health and the Environment*. **2003**, Oxford, New York: Oxford University Press. 560
41. Wells, N.M., G.W. Evans, and Y. Yang, *Environments and health: Planning decisions as public-health decisions*. Journal of Architectural and Planning Research, **2010**. 27(2): p. 124-143. 561 562
42. Matte, T.D. and D.E. Jacobs, *Housing and health—current issues and implications for research and programs*. Journal of Urban Health, **2000**. 77(1): p. 7-25. 563 564
43. Krieger, J. and D.L. Higgins, *Housing and Health: Time Again for Public Health Action*. American Journal of Public Health, **2002**. 92(5): p. 758-768. 565 566
44. Bell, I., C. Baldwin, and R. Schottenfeld, *Psychological sequelae of hazardous materials exposure*, in *Clinical Environmental Health and Toxic Exposures*, S. JB and K. GR, Editors. **2001**, Lippincott Williams and Wilkins: Philadelphia, Pa. p. 404-412. 567 568
45. Araki, S., *Neurobehavioral Methods and Effects in Occupational and Environmental Health*. **1994**, New York: Academic Press. 569
46. Needleman, H.L., et al., *The Long-Term Effects of Exposure to Low Doses of Lead in Childhood: An 11-Year Follow-up Report*. The New England Journal of Medicine, **1990**. 322(2): p. 83-88. 570 571
47. Needleman, H.L., et al., *Deficits in Psychologic and Classroom Performance of Children with Elevated Dentine Lead Levels*. The New England Journal of Medicine, **1979**. 300(13): p. 689-695. 572 573
48. Sciarillo, W.G., G. Alexander, and K.P. Farrell, *Lead exposure and child behavior*. American Journal of Public Health, **1992**. 82(10): p. 1356-1360. 574 575
49. Yousef, S., et al., *Learning disorder and blood concentration of heavy metals in the United Arab Emirates*. Asian Journal of Psychiatry, **2013**. 6(5): p. 394-400. 576 577
50. Yousef, S., et al., *Attention Deficit Hyperactivity Disorder and Environmental Toxic Metal Exposure in the United Arab Emirates*. Journal of Tropical Pediatrics, **2011**. 57(6): p. 457-460. 578 579
51. Choi, W.-J., et al., *Blood lead, parental marital status and the risk of attention-deficit/hyperactivity disorder in elementary school children: A longitudinal study*. Psychiatry Research, **2016**. 236: p. 42-46. 580 581
52. Dong, T., et al., *Prenatal exposure to maternal smoking during pregnancy and attention-deficit/hyperactivity disorder in offspring: A meta-analysis*. Reproductive toxicology, **2018**. 76: p. 63-70. 582 583
53. Schneider, M. *Do School Facilities Affect Academic Outcomes?* in *National Clearinghouse for Educational Facilities*. **2002**. Washington, DC, USA: ERIC Publications. 584 585

54. Myhrvold, A., E. Olsen, and O. Lauridsen, *Indoor environment in schools—pupils health and performance in regard to CO2 concentrations*. *Indoor Air*, **1996**. 96(4): p. 369-371. 586 587
55. Lercher, P., et al., *Ambient neighbourhood noise and children's mental health*. *Occupational and environmental medicine*, **2002**. 59(6): p. 380-386. 588 589
56. Bullinger, M., et al., *The Psychological Cost of Aircraft Noise for Children**. *Zentralblatt für Hygiene und Umweltmedizin*, **1999**. 202(2): p. 127-138. 590 591
57. Knipschild, P. and N. Oudshoorn, VII. *Medical effects of aircraft noise: Drug survey*. *International Archives of Occupational and Environmental Health*, **1977**. 40(3): p. 197-200. 592 593
58. Enmarker, I. and E. Boman, *Noise annoyance responses of middle school pupils and teachers*. *Journal of Environmental Psychology*, **2004**. 24(4): p. 527-536. 594 595
59. Lercher, P., G.W. Evans, and M. Meis, *Ambient Noise and Cognitive Processes among Primary Schoolchildren*. *Environment and Behavior*, **2003**. 35(6): p. 725-735. 596 597
60. Hygge, S., E. Boman, and I. Enmarker, *The effects of road traffic noise and meaningful irrelevant speech on different memory systems*. *Scandinavian Journal of Psychology*, **2003**. 44(1): p. 13-21. 598 599
61. Norlander, T., L. Moås, and T. Archer, *Noise and Stress in Primary and Secondary School Children: Noise Reduction and Increased Concentration Ability Through a Short but Regular Exercise and Relaxation Program*. *School Effectiveness and School Improvement*, **2005**. 16(1): p. 91-99. 600 601 602
62. Tufvesson, C., *Concentration Difficulties in the School Environment - with focus on children with ADHD, Autism and Down's syndrome*, in *Environmental and Energy Systems Studies*. **2007**, Lund university. 603 604
63. Mostafa, M., *Housing Adaptation for Adults with Autistic Spectrum Disorder*. *Open House International*, **2010**. 35(1): p. 37-48. 605
64. Evans, G.W., *The built environment and mental health*. *Journal of Urban Health*, **2003**. 80(4): p. 536-555. 606
65. McAllister, K. and B. Maguire, *Design considerations for the autism spectrum disorder-friendly Key Stage 1 classroom*. *Support for Learning*, **2012**. 27(3): p. 103-112. 607 608
66. McAllister, K. *The ASD Friendly Classroom—Design Complexity, Challenge and Characteristics*. in *Design and Complexity - Design Research Society International Conference*. **2010**. Montreal, Canada. 609 610
67. Küller, R., *Planning for good indoor lighting*, in *Building Issues*. **2004**, Lund University. p. 20. 611
68. Colman, R.S., et al., *The effects of fluorescent and incandescent illumination upon repetitive behaviors in autistic children*. *Journal of autism and childhood schizophrenia*, **1976**. 6(2): p. 157-162. 612 613
69. Küller, R., *The Influence of Light on Circarhythms in Humans*. *Journal of Physiological Anthropology and Applied Human Science*, **2002**. 21(2): p. 87-91. 614 615
70. Vogel, C.L., *Classroom Design for Living and Learning with Autism*. *Autism Asperger's Digest*, **2008**. 7(1): p. 30-39. 616
71. Beaver, C., *Autism-friendly environments*. *The Autism File*, **2010**. 34: p. 82-85. 617
72. Vázquez, F.S. and A.S. Torres, *Autism and Architecture*, in *Recent Advances in Autism Spectrum Disorders*, M. Fitzgerald, Editor. **2013**, Trinity College: Dublin, Ireland. p. 177-186. 618 619
73. Hewitt, J., et al., *Sensory access in higher education: guidance report*. **2009**, Equality Challenge Unit. 620
74. Ott, J.N., *Influence of Fluorescent Lights on Hyperactivity and Learning Disabilities*. *Journal of Learning Disabilities*, **1976**. 9(7): p. 417-422. 621 622
75. Rybak, Y.E., et al., *An open trial of light therapy in adult attention-deficit/hyperactivity disorder*. *The Journal of clinical psychiatry*, **2006**. 67(10): p. 1527-1535. 623 624
76. Arns, M., et al., *Geographic Variation in the Prevalence of Attention-Deficit/Hyperactivity Disorder: The Sunny Perspective*. *Biological Psychiatry*, **2013**. 74(8): p. 585-590. 625 626

-
77. Tufvesson, C. and J. Tufvesson, *The building process as a tool towards an all-inclusive school. A Swedish example focusing on children with defined concentration difficulties such as ADHD, autism and Down's syndrome*. Journal of Housing and the Built Environment, **2009**. 24(1): p. 47-66.
78. Wilson, A., *Productivity and green buildings*. Environmental Building News, **2004**. 13(10): p. 10-15.
79. Bonnefoy, X.R., et al., *Review of evidence on housing and health: background document*, in *The Fourth Ministerial Conference on Environment and Health*. **2004**, World Health Organisation: Budapest, Hungary.
80. Bluysen, P.M., et al., *Self-reported health and comfort of school children in 54 classrooms of 21 Dutch school buildings*. Building and Environment, **2018**. 138: p. 106-123.
81. King, J. and R.W. Marans, *The Physical Environment and the Learning Process: A Survey of Recent Research*, in *Research Report Series*. **1979**, Institute for Social Research: Ann Arbor: University of Michigan Architectural Research Laboratory. p. 85.
82. DuPaul, G.J., et al., *ADHD Rating Scale-IV (for Children and Adolescents): Checklists, Norms, and Clinical Interpretation*. **1998**: Guilford Publications.
83. Mostafa, M., *An Architecture for Autism: Concepts of Design Intervention for the Autistic User*. Archnet-IJAR: International Journal of Architectural Research, **2008**. 2(1): p. 189-211.