

Manuscripts land-3266426

Response to Reviewers

Reviewer 1 Report – Round 2

The authors have addressed some of my concerns, but the similarity rate of this article must be reduced. A similarity rate of 20% is a very dangerous number, indicating that there are many concerns about the content of the article, at least indicating that the originality of this research is not high. The authors did not pay attention to this issue in this revision. The authors did not pay attention to this issue in this revision. They also claimed that their plagiarism check in another system showed a low repetition rate.

R: Dear reviewer, thank you for your comment. We performed a similarity test on our manuscript using the Turnitin software, licensed by the University of Campinas (Unicamp). We achieved a similarity rate of 12%, which is considered low. We are making the report available for your consideration. Please note that Turnitin works similarly to iThenticate. We did not test iThenticate because it is a paid software.

Our report found that similar terms are technical words commonly used in other papers, such as "climate change", "changes in environmental suitability", "North Minas Gerais", and "Land use and Land Cover", among others that can be seen in the report.

land- 3266426_without_references_a nd_authors_names.pdf

by Taya Cristo Parreiras

Submission date: 01-Nov-2024 12:01PM (UTC-0300)

Submission ID: 2504870139

File name: land-3266426_without_references_and_authors_names.pdf (1.22M)

Word count: 7571

Character count: 40349

Climate Change Effects on Land Use and Land Cover Suitability in the Southern Brazilian Semi-arid Region

Abstract: Climate change is expected to alter the environmental suitability of land use and land cover (LULC) classes globally. In this study, we investigated the potential impacts of climate change on the environmental suitability of the most representative LULC classes in the southern Brazilian semi-arid region. We employed the Random Forest algorithm trained with climatic, soil, and topographic data to project future LULC suitability under the Representative Concentration Pathway RCP 2.6 (optimistic) and 8.5 (pessimistic) scenarios. The climate data included the mean annual air temperature and precipitation from the WorldClim2 platform for historical (1970–2000) and future (2061–2080) scenarios. Soil data was obtained from the SoilGrids 2.1 digital soil mapping platform, while topographic data were produced by NASA's Shuttle Radar Topography Mission (SRTM). Our model achieved an overall accuracy of 60%. Under the worst-case scenario (RCP 8.5), croplands may lose approximately 8% of their suitable area, while pastures are expected to expand by up to 30%. Areas suitable for savannas are expected to increase under both RCP scenarios, potentially expanding into lands historically occupied by forests, grasslands, and eucalyptus plantations. These projected changes may lead to biodiversity loss and socioeconomic disruptions in the study area.

Keywords: Land Suitability; drylands; climate change; scenarios analysis; Random Forest

1. Introduction

Climate change presents a significant threat to global environmental sustainability, with more amplified impacts on semi-arid regions [1]. These regions, characterized by low water availability, are projected to experience substantial increases in air temperature and decreases in precipitation by the end of the century [2,3]. These climate variables can increase aridity and alter the environmental suitability dynamics of different land use and land cover (LULC) classes [4]. Environmental suitability refers to the most suitable conditions for maintaining a given class of LULC, considering factors such as soil properties, topography, water availability, and climatic conditions [5].

In the Brazilian semi-arid region, characterized by the occurrence of high levels of endemism and a wide diversity of plant species in the Caatinga biome (xerophytic vegetation) [6,7], the implications of climate change on LULC suitability are evident. For example, previous studies suggest that this region presents a persistent trend in the intensification of aridification [8,9], which possibly drives ecological succession processes, especially the gradual loss of suitability of species less adapted to these arid conditions [10–12], as well as the decline in suitability for anthropogenic land uses, such as the contraction of agricultural lands [13,14].

While trends in changes in LULC environmental suitability due to climate change are well-documented in the central part of the Brazilian semi-arid region, peripheral areas, such as northern Minas Gerais, have often been neglected. Therefore, investigations into the impacts of climate change in the North of Minas Gerais are essential, as it is a representative ecotone region in Brazil, that is, an area sensitive to disturbances in climatic variables such as rising temperatures and decrease in precipitation levels [15,16]. This becomes even more imperative considering the ecological diversity of this ecotonal zone, with vegetation ranging from open fields and tropical savannas to evergreens and

Citation: To be added by editorial staff during production.

Academic Editor: Firstname Lastname

Received: date

Revised: date

Accepted: date

Published: date



Copyright: © 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

deciduous forests [17]. These ecosystems harbor high levels of endemism and a variety of species [18,19], which classifies the North of Minas Gerais as a biodiversity hotspot as part of Brazilian Cerrado [20]. Additionally, this region has broad environmental potential for croplands, planted pastures, and eucalyptus, land uses that play an important role in national and international socioeconomic dynamism. For example, the region stands out in exports of fruits and fibers to several countries [21], in addition to supplying the steel industry at a national level through charcoal from eucalyptus reforestation [22].

Therefore, quantifying the impacts of future climate change on the suitability of LULC classes in the North of Minas Gerais is essential for maintaining ecological services and socioeconomic stability. This assessment must consider multiple predictors that determine the most appropriate environments for both natural ecosystems and anthropogenic uses [5]. In addition to climatic variables such as temperature and precipitation, it is pertinent to include factors such as pedological and topographic attributes, as they are fundamental for the establishment of plant species and agricultural practices [10,19,23]. This approach is particularly important for the North of Minas Gerais, a region with great pedodiversity and varied landforms (Figure 1).

Considering the complexity of LULC and environmental attributes, it is necessary to use methodological structures that capture these relationships. In this context, previous studies [10,24,25] have suggested the use of machine learning algorithms, as they allow the use of multiple covariates, in addition to distinguishing non-linear patterns essential for discriminating different LULC classes. Among these algorithms, Random Forest (RF) has gained evidence in environmental modeling [23,24,26]. RF is an algorithm based on decision tree logic and the bootstrap method, which ensures a robust mapping of LULC classes based on the principle of randomness [27,28].

Here, we assess the potential impacts of future climate change (2061–2080) on the environmental suitability of LULC classes in North of Minas Gerais, using the RF algorithm. To the best of our knowledge, this is the first study to employ this approach in the Brazilian semi-arid region. The results of this research could guide important public policy instruments on LULC. For example, the improvement of agro-environmental zoning, guiding decision-making considering the vulnerability of lands to future climate change, allowing the expansion of conservation areas, and the definition of priority zones for agricultural productivity.

2. Materials and Methods

2.1. Study Area

The study area is located in the north of the state of Minas Gerais, corresponding to the southern of the Brazilian semiarid region (latitude: 15°S to 18°S; longitude: 42°W to 46°W) (Figure 1). This area was defined as the administrative mesoregion of Northern Minas Gerais by the Brazilian Institute of Geography (IBGE) [29]. The study area encompasses 89 municipalities, of which 60 belong to the limit of the Brazilian Semiarid region, as defined by the Superintendence for the Development of the Northeast (SUDENE) [30]. Most of the Brazilian government's decisions regarding the semi-arid region (such as financial credits to combat desertification) are based on this classification.

The region is characterized by a diverse range of LULC classes, including forests, savannas, grasslands, pastures, croplands, as well as eucalyptus plantations. The distribution and suitability of these LULC classes are influenced by a combination of biophysical factors such as climate, topography, and soil, along with public policies aimed at fostering regional economic development [31,32].




Figure 1. Characterization of the study area. (a) North of Minas Gerais State in the global context. (b) altitude; (c) geomorphology; (d) land use and cover (LULC) classes, biomes and mean annual precipitation distribution; and (e) soil types.

The predominant climate in the region is tropical with dry winter (Aw) and dry summer (As), according to the Köppen classification [33]. Annual precipitation is irregular, varying between 600 mm and 1300 mm. The region exhibits pronounced climatic seasonality, with eight dry months from March to October, followed by four rainy months from November to February [32]. Elevation ranges from 300 m to 1800 m, with an average of 700 m, reflecting the geomorphological heterogeneity of the region. In the western part of the study area, the landscape is characterized by flattened surfaces such as tablelands, depressions, terraces, and plains. These geomorphological features have led to the development of well-drained, highly weathered soils, predominantly Ferralsols [32]. This soil diversity supports the coexistence of the Caatinga and Cerrado biomes, characterized by seasonal phytophysognomies, mainly the savanna formations of the Cerrado, characterized by a grass layer, abundant shrub species and sparse, short trees.

The landscape heterogeneity in the western portion of the study area, coupled with public investments from the SUDENE, has facilitated the expansion of pastures and croplands [34]. Pastures (*brachiaria*: African genus *Urochloa*) are the predominant land use type in the region, covering approximately 38,000 km² (~30% of the area). In general, livestock farming in the region follows the extensive model, with pastures with some degree of environmental degradation [35], which leads to a low animal carrying capacity, around 0.47 animal units per hectare [36]. Perennial and annual crops represent 2% of the study area, distributed among bananas, grapes, lemons, mangoes, corn, and beans, among others. North of Minas Gerais is a crucial region for the production of agricultural commodities for international markets, particularly through the Jaíba Project, one of the largest irrigated perimeters in the world [34].

The eastern part of the study area includes the Espinhaço mountain range, characterized primarily by rocky outcrops mostly covered with grasslands, known as rupestrian Cerrado [32]. This region is interspersed with plateaus that feature patches of humid Atlantic Forest and Cerrado. The relatively gentle terrain of these plateaus facilitates mechanization, making them attractive for the establishment of exotic eucalyptus plantations.

Consequently, significant government incentives have been directed towards promoting these plantations in the region [22]. The *Eucalyptus grandis* specie is the most cultivated in the region, essentially due to its rapid growth, which is attractive for timber production.

2.2. Methodological Approach

This study was based on the following key steps: i) assembling a comprehensive database that includes climate, soil, and topographic data; ii) acquiring and refining LULC samples; iii) training and validating the RF algorithm; and iv) predicting the LULC dynamics under future climate change scenarios (Figure 2).




Figure 2. Overview of the main steps of methodological framework. RF = Random Forest; RCP = Representative Concentration Pathway.

2.3. Covariates

We selected a set of 13 covariates, which included climate, soil, and topographic data (Table 1). The climate database comprised mean air temperature and mean annual precipitation for both historical (1970–2000) and future (2061–2080) climate scenarios. For historical data, we used the WorldClim 2.1 platform, while data for the future scenario were obtained from the WorldClim 1.4 platform [37,21].

Future climate data was obtained from the Intergovernmental Panel on Climate Change (IPCC), made available through the Coupled Model Intercomparison Project (CMIP) Global Climate Models (GCMs). These models are based on the scenarios outlined in the IPCC's Assessment Reports, categorized as Representative Concentration Pathways (RCPs), defined by their respective radiative forcing levels: 2.6, 4.5, 6.0, and 8.5 W m^{-2} [39]. RCPs consider different factors affecting CO_2 emissions such as demographic changes, socioeconomic development, and technological advances [39]. Increased CO_2 concentration alters the radiative forcing of the atmosphere, leading to an increasing in global

temperatures [40]. This temperature rise due to increase in the atmospheric CO₂ concentration is known as Equilibrium Climate Sensitivity (ECS) [39]. Previous IPCC reports indicated that ECS would range from 1.5 °C to 4.5 °C. However, the most recent IPCC Assessment Report 6 indicates a higher sensitivity to climate change, with ECS ranging from 1.8 °C to 5.6 °C, suggesting a stronger warming [37–40].

Table 1. Covariates used in the land use and land cover classification.

Covariates	Resolution (m)	Period
Mean air temperature	1000	1970–2000 and 2061–2080
Annual precipitation	1000	1970–2000 and 2061–2080
Bulk density	250	1970–2000
Cation exchange capacity	250	1970–2000
Volumetric coarse fragment	250	1970–2000
Organic carbon density	250	1970–2000
Soil pH	250	1970–2000
Nitrogen	250	1970–2000
Soil organic carbon	250	1970–2000
Sand	250	1970–2000
Silt	250	1970–2000
Clay	250	1970–2000
Elevation	30	1970–2000

Previous studies using models from the sixth Assessment Report (AR6) have observed that these models could exhibit more extreme behaviors, often overestimating or underestimating representations of natural ecosystems and biophysical properties of LULC classes, such as leaf area index and gross primary productivity [44–51]. Consequently, we adopted a more conservative approach by using models from the fifth Assessment Report (AR5), a choice that also has been made in other global studies [10,23,25,52–54]. AR5 models have been extensively tested and validated in various parts of Brazil [11,10,23,52,55,56], facilitating comparisons and supporting the consistency of our results. Therefore, we selected three GCMs known for their strong performance in Brazil: the Community Climate System Model version 4 (CCSM4) [57], the Max Planck Institute Earth System Model (MPI-ESM-P) [58], and the Model for Interdisciplinary Research on Climate (MIROC-ESM) [59].

These models were selected to represent both the RCP 6.3 (optimistic) and RCP 8.5 (pessimistic) scenarios. The RCP 2.6 scenario is consistent with the goals of the Paris Agreement, aiming to limit the global temperature increase to 1.5–2 °C. In contrast, the RCP 8.5 scenario projects a potential global temperature increase of up to 4.5 °C by the end of the century [39]. Given the specific characteristics of each model's climate projections, we created an ensemble model by averaging annual air temperature and precipitation data from the three CGMs. This ensemble approach, designed to reduce the uncertainties of estimates, has been employed in other studies [25,60,61].

The soil database was obtained from the SoilGrids platform (Table 1) [62], considering covariates that represent the physical and chemical properties of soils at 0–5 cm depth. The inclusion of soil data has high potential for distinguishing different LULC classes because they directly influence the development of various LULC classes [24]. The selected covariates included the water holding capacity, essential nutrients, and acidity. Previous studies have demonstrated that incorporating soil data significantly enhances LULC classifications [10,63,64].

The elevation data was obtained from the Shuttle Radar Topography Mission (SRTM) [65] and accessed through the Google Earth Engine platform. Elevation plays a critical factor in the spatial distribution of LULC classes, as it interacts with other key attributes that affect the suitability of LULC classes, such as climate [66], soil type [67], and water

availability [68]. Integrating soil and elevation data allows the production of more accurate LULC maps [10]. In this study, we resampled the soil and elevation covariates to a 1-km spatial resolution using the bilinear interpolation method.

2.4. Dataset

The dataset comprised 1209 training and validation samples of six representative LULC classes of the study area: croplands (n = 148), eucalyptus plantations (n = 134), forests (n = 146), native grasslands (n = 222), pastures (n = 252), and savannas (n = 307) (Figure 3; Table 2). These samples were obtained from the MapBiomass platform for the period between 1985 and 2022. The samples were produced through visual interpretation of Landsat satellite images by analysts and subsequently validated by trained specialists [69,70]. For the historical scenario (1970–2000), we used the statistical mode value of each pixel from the MapBiomass platform as the representative LULC class. To further enhance the reliability of these samples, we visually inspected and adjusted the LULC labels using QGIS software [71].




Figure 3. Samples of representative land use and land cover classes of the North of Minas Gerais made available by the MapBiomass project and selected to train and validate the Random Forest machine learning algorithm.

Table 2. Description of LULC classes and number of samples.

LULC	Description	Number of samples
Forest	Vegetation with a predominance of tree species, with continuous canopy formation, and seasonal deciduous forests	146
Savanna	Savanna formations with tree, shrub and herbaceous strata	307

	Tree species planted for commercial purposes. The typical planting space of	
Eucalyptus	eucalyptus (2 to 3 m between planting lines and 1 to 2 m between trees)	134
Grasslands	Natural formations with a predominance of a herbaceous layer and some shrubs	222
	Planted pastures, related to livestock activity (Brachiaria, African genus	
Pasture	Urochloa)	252
	Areas cultivated with perennial and temporary crops (bananas, grapes, lemons,	
Croplands	mangoes, corn, and beans, among others)	148

2.5. Training and Validation

The sampling set was used to extract covariate values from the historical scenario, with 75% of the samples allocated for training the model and 25% for validation. We used the Random Forest (RF) algorithm to map LULC classes. We used the Random Forest (RF) algorithm to map LULC classes. RF was chosen based on its high performance in LULC classifications in other regions of the planet [72]. RF stands out for its statistical robustness and ability to distinguish non-linear behaviors, such as the relationship between LULC classes and edaphoclimatic conditions [25,23].

The RF algorithm is based on the bootstrap method, where multiple decision trees are generated using different subsets of environmental covariates during the training process [27]. This approach reduces the correlation between individual trees, thereby preventing model overfitting [73]. Each uncorrelated tree predicts the LULC class, and the final map is generated by considering the classes most voted across all trees in the forest [27]. The RF hyperparameters are *nTree*, which represents the number of trees created during training, and *mtry*, that is, the number of covariates selected for splitting each tree [27].

We trained the RF model using 75% of the samples and considering a 10-fold cross-validation method with five replications. The database was divided into 10 subsets (k-folds) and submitted to an iterative training process repeated five times to ensure that the model is free from overfitting. This training phase was automatically prepared using the *Caret* package [74]. In our study, the best performance was obtained by *ntree* = 500 and *mtry* = 7. Furthermore, during training, we obtained a ranking with the most important covariates for classification using the *varImp* [74].

Next, we evaluated the classification performance using the holdout test on the remaining 25% of the samples. The performance metrics were analyzed using the *metrics* package [75] more specifically, through the Overall accuracy and Kappa index. Overall accuracy comprises the rate of responses mapped correctly in training, while the Kappa index represents the degree of accuracy between the map created in training and the reference samples. All analyses were carried out using R [76].

2.6. Prediction Scenarios

In the training phase, the RF algorithm was adjusted based on climate covariates from the historical scenario (1970–2000), along with pedological aspects and altitude. To model changes in LULC for future scenarios, we replaced the historical climate covariate layers with the IPCC ensemble model projections for both optimistic and pessimistic scenarios. We retained the soil and altitude data in the future prediction, based on the assumption that these landscape attributes will not significantly change over the approximately 70-year interval. This assumption has been frequently used in previous studies [10,23,25]. Spatial predictions were made using the *predict* function of the *raster* package [77].

3. Results

3.1. Climate Projections

Article Error

The historical scenario revealed a mean annual air temperature of 22 °C in North of Minas Gerais (Figure 4). The ensemble model predicted an increase of 2 °C in mean air temperature under the most optimistic scenario (RCP 2.6), while the pessimistic scenario (RCP 8.5) suggested a more pronounced increase of 3° C. Additionally, the climate change models projected a pronounced decline in mean annual precipitation of up to 110 mm year⁻¹.




Figure 4. Climate change scenarios in the North of Minas Gerais State, Brazil, for historical (1970–2000) and future (2061–2080) scenarios based on the ensemble model of three general circulation models (GCMs): CCSM4, MPI-ESM-P, and MIROC-ESM.

In the historical scenario, the lowest mean temperature values (19 °C to 20 °C) covered 7276 km² (~5%) of the study area, predominantly in the eastern portion where elevated areas of the Espinhaço mountain chain are located. In future scenarios (2061–2080), due to the projected expansion of temperature range between 23 °C and 26 °C, the areas with minimum air temperatures are expected to decrease drastically, covering only 4 km². The maximum temperature in the historical scenario was 25 °C, distributed over 17,272 km² (13%) of the region, predominantly in the extreme north. Under climate change conditions, the highest average temperatures (25 °C to 28 °C) are projected to cover up to 72% of North of Minas Gerais in the most pessimistic scenario (RCP 8.5).

Currently, relatively high annual precipitation levels (> 1000 mm yr⁻¹) occur over a substantial portion of the study area, covering 69,349 km² (51%), mostly in the western region. However, future climate models project a significant reduction in these high-precipitation areas. Under the pessimistic scenario, a 34% decrease in these areas is expected. On the other hand, areas with low precipitation (< 690 mm year⁻¹ to 790 mm year⁻¹) are projected to expand. Historically, this precipitation range encompassed only 5% of the study area, but future projections indicate an increase of 7% to 29%.

3.2. Mapping LULC for Historical Scenario (1970 –2000) and Future Trends (2061 –2080)

The LULC map generated using the RF algorithm, trained with climatic, soil, and topographic covariates, achieved an overall accuracy of 60% and a Kappa index of 0.50. Among the selected covariates, the three most important were elevation (100%), mean annual air temperature (82%), and mean annual precipitation (81%) (Figure 5).




Figure 5. Ranking of the most important variables selected by the Random Forest algorithm in the training process. OCD = organic carbon density; CFV = volumetric coarse fragment; SOC = soil organic carbon; CEC = cation exchange capacity.

Climate change will substantially transform all LULC classes in the study area (Figures 6 to 8 and Table 3). These spatial changes coincide with the mean air temperature increase and annual precipitation level decline under future IPCC projections (Figure 7). For example, croplands were suitable for use over an area of 7800 km² in the historical scenario (1970–2000) with an average temperature of 23.43 °C and precipitation of 978.68 mm yr⁻¹. However, with an increase of up to 2.9 °C in mean air temperature and a reduction of up to 97 mm yr⁻¹ in annual precipitation, croplands are expected to experience a decline of up to 8% in their suitability in future scenarios (2061–2080).

In contrast, pasture suitability is projected to increase in the coming decades (Figure 6 and Table 3). In the historical scenario, the area suitable for pasture cultivation occupied 25% of the study region (38,130 km²), showing adaptability in the western portion of North of Minas Gerais in areas with relatively high average temperatures (24.07 °C) and low precipitation levels (993.97 mm yr⁻¹). In the future, pasture suitability is expected to increase by up to 29% (+11,291 km²), mainly due to increases between 1.43 °C and 2.96 °C in the historical thermal average and decreases of 28 mm yr⁻¹ to 82.77 mm yr⁻¹ in precipitation for the period 2061 to 2080. This gain in pasture suitability is expected to occur on lands previously occupied by savannas and forests (Figure 8).

Despite of some pasture overlap, savannas are expected to gain considerable environmental suitability in the coming decades. This class had suitability in approximately 70% (57,641 km²) of the lands in the study area in the historical scenario, essentially in zones with an average air temperature of 22.79 °C and precipitation levels of 1010 mm yr⁻¹. However, also after an increase in thermal averages between 0.84 °C and 2.45 °C and a decline in precipitation to 138.01 mm yr⁻¹ in the future scenarios, a 10% expansion of lands suitable for savannas is projected. This suggests that savannas are well adapted to future climate changes. The expansion of savannas' suitability should occur in lands previously favorable for forests, grasslands, and eucalyptus plantations (Figure 8).




Figure 6. Spatial distribution of land use and land cover classes in the North of Minas Gerais State in the historical (a), optimistic climate change scenario (RCP2.6, 2061–2080) (b), and pessimistic climate change scenario (RCP 8.5, 2061–2080) (c).

Table 3. Area gain and loss for each class of land use and land cover (LULC) considering the historical data and optimistic (RCP 2.6) and pessimistic (RCP 8.5) climate change scenarios.

LULC	Historical data (km ²)	RCP 2.6 (km ²) RCP 8.5 (km ²)		Historical data to RCP			
		2.6 (km ²)	8.5 (km ²)	2.6 (km ²)	8.5 (km ²)	2.6 (%)	8.5 (%)
Croplands	7803	7417	7192	-386	-611	-4.95	-7.83
Eucalyptus	8424	3616	2490	-4808	-5934	-57.08	-70.44
Forest	11,142	8572	6794	-2570	-4348	-23.07	-39.02
Grasslands	12,659	9070	6054	-3589	-6605	-28.35	-52.18
Pasture	38,130	43,650	49,421	5520	11,291	14.48	29.61
Savanna	57,681	63,514	63,888	5833	6207	10.11	10.76




Figure 7. Quantitative comparison between changes in LULC and climate variables in the North of Minas Gerais. Suitability in km² of LULC classes (a); Mean air temperature for the extent of each LULC class (b); Annual precipitation for the extent of each LULC class (c). All variables are for the historical (1970 - 2000), optimistic, and pessimistic scenarios (2061 - 2080).




Figure 8. Sankey diagram showing the conversions of land use and land cover classes considering historical data (a) and future climate change scenarios under the optimistic and pessimistic scenarios (b). CP = cropland; GR = grasslands; EUC = eucalyptus; FF = forest; PA = pasture; and SAV = savanna.

The land suitable for forests in the North of Minas Gerais was concentrated in the eastern sector of the region, with an area of 11,142 km², under relatively low average temperatures (21.45 °C) and low precipitation rates (938 mm yr⁻¹). However, areas suitable for maintaining forests are expected to lose ground in future scenarios, with a decline of up to 39.02% in the most pessimistic scenario (RCP 8.5). This decline is conditioned by an increase of 2.99 °C in the historical thermal average and a decline of 130.90 mm yr⁻¹ in precipitation. These trends reveal the vulnerability of forest formations to climate disturbances.

Grasslands also lose their environmental suitability in North of Minas Gerais, mainly due to climate-favoring savannas in the coming decades. Grassland lands covered 12,659 km² in the historical scenario, with a projected decline in the future of between 29% and 59% in the optimistic and pessimistic perspectives, respectively. This reduction will present distinct spatial patterns. A more pronounced decrease is expected to occur in the northwest portion, under flat surfaces and deep soils. On the other hand, stability is expected in the grasslands located on the eastern edge on rocky outcrops of the Espinhaço mountain chain. These patterns indicate that lithopedological factors are key to the reconfiguration of grasslands in the coming decades.

Eucalyptus plantations are expected to experience the steepest suitability losses among all LULC classes due to the expansion of more suitable climatic conditions for savannas. Eucalyptus suitability was 8,424 km² in the historical scenario, concentrated in the eastern portion, with a predominance of an average temperature of 20.72 °C and low rainfall rates. However, a reduction of 43% to 79% in land suitable for eucalyptus is expected. This abrupt decline coincides, again, with an increase of up to 2.89 °C in the historical average temperature and a reduction of up to 134.64 mm yr⁻¹ in precipitation levels for the areas where these plantations have been concentrated in recent decades.

4. Discussion

4.1. Mapping Performance and the Covariate Influences

Our LULC classification using the RF classifier, trained on climate, soil, and altitude data for the historical period (1970–2000), achieved an overall accuracy of 60% and a Kappa index of 0.50. These metrics are comparable to previous studies at global and

continental scales [25,26,78,79]. This accuracy is lower than that of traditional techniques based solely on remote sensing data, which typically generate highly accurate outputs based on spectral signatures [72]. In our methodological framework, we assessed the potential occurrence of specific LULC classes by considering climatic, soil, and topographic attributes. This added complexity to the modeling, which, in turn, decreased the performance of the classifier [24]. Another drawback is the spatial resolution of our maps, which was set at 1 km. This resolution complicates the differentiation of various LULC classes, making it more challenging to separate them effectively. However, a key advantage of this approach is its ability to extrapolate mapping procedures considering climate change, thereby serving as a valuable tool for guiding management and conservation strategies across different scenarios.

Elevation was the most influential covariate in the LULC classification, strongly impacting the suitability of croplands, pastures, and eucalyptus plantations. Croplands and pastures are mainly found in lowlands of the western region, while eucalyptus plantations and grasslands are more prevalent in the eastern highlands [80]. Mean air temperature and annual precipitation also emerged as important covariates in our LULC classification, corroborating previous research that demonstrated the effectiveness of climate data in distinguishing various ecosystems [24,81,82]. These climatic factors influence water availability [83], leading to significant differences in seasonality, crop cycles, and phenological stages. In transitional regions such as North of Minas Gerais, where the Cerrado, Caatinga, and Atlantic Forest biomes coexist, the varying responses of ecosystems to climate fluctuations enhance the differentiation of LULC classes.

Pedological covariates (soil characteristics) had a relatively weak influence on the LULC classification compared to elevation and climate data. This limited influence can be partially attributed to the inherent functioning of the RF algorithm, which tends to prioritize covariates with a broader range of values during the selection process [84]. In our model, the soil data exhibited relatively low variation, resulting in a lower importance in the ranking procedure [10]. However, it is important to note that even though these covariates were not ranked as highly influential, they likely play a significant role in discriminating LULC classes strongly associated with specific soil properties. For example, riparian forests along the São Francisco River and grasslands on the rocky outcrops of the Espinhaço mountain chain depend on unique soil characteristics that are not fully captured by the overall low variations observed in the dataset used in this study.

4.2. Impacts of Climate Change on LULC Classes

We expect a decrease in cropland suitability of up to 611 km² in the study area. Our findings are consistent with regional and global modeling studies that have projected a decline in cropland suitability under future climate change scenarios [14,85–92]. This decline in agricultural productivity is likely driven by a combination of rising temperatures and decreasing precipitation, which increases evapotranspiration and leads to increased water stress, thereby limiting crop growth and productivity [52].

The reduction of areas suitable for croplands can affect the export chain on a national and international scale, consequently, generate economic losses, since North of Minas Gerais is an irrigated fruit-growing hub responsible for supplying food to national and international markets [21]. Therefore, it is urgent to develop climate change adaptation strategies to enhance the resilience of croplands. Integrated systems, which combines crops, livestock, and forests within the same environment, offer a promising approach to mitigate climate change [93]. The insertion of trees next to crops promotes air humidification through evapotranspiration, improves the rate of water infiltration into the soil, and reduces water stress. These benefits contribute to making croplands more resilient to climate change [94,95].

Pasture suitability in North of Minas Gerais is projected to increase by up to 22,500 ha per year in the period 2061–2080. Historically, pastures in this region are adapted to high mean air temperatures and low precipitation [35]. Future IPCC scenarios (RCPs 2.6

and 8.5) indicate that these conditions will not only persist but also expand, creating more lands suitable for pasture in the coming decades. From an economic perspective, this trend may offer a favorable outlook by theoretically increasing cattle carrying capacity, boosting beef production [96]. However, these lands suitable for pasture will grow at the expense of areas previously occupied by savannas and forests. These native vegetations provide important ecosystem services, including carbon sequestration, air humidification, and water resource regulation [97–99]. Thus, their replacement by pastures may compromise these environmental benefits. In this context, public policies are needed to protect native forests from anthropogenic and climatic pressures. Previous studies highlight the effectiveness of environmental Protection Areas (PAs) and compliance with the Native Vegetation Protection Law (Federal Law 12727/2012) in reducing deforestation rates in the North of Minas Gerais in recent decades [100,101]. Therefore, expanding these instruments is a prominent measure for forest conservation.

Additionally, studies have indicated that high temperatures and low precipitation are drivers of pasture degradation in the North of Minas Gerais in the historical context [35]. As these conditions are projected to persist in future scenarios, the anticipated expansion of pastures may be accompanied by increased levels of degradation, as evidenced in other regions such as in parts of Africa [102], followed by land abandonment and desertification [103,104]. Therefore, decision-making towards more sustainable livestock farming is crucial. Previous studies suggest the adoption of rotation practices and recovery of already degraded pastures, which increases the production of dry biomass for cattle herds, reducing the need for further deforestation [105].

While some areas suitable for savannas may be lost, this is offset by an anticipated gain of up to 6207 km² in the period 2061–2080. This increased suitability of savannas is expected mainly due to the transition from forests, grasslands, and eucalyptus plantations. Savannas are well-adapted to seasonally dry climates with low rainfall because of several mechanisms to cope with water scarcity: the shedding of leaves during the dry season by deciduous and semi-deciduous species [106], which avoids excessive water consumption during periods of deficit [106,107]; a deep root system [108]; and sclerophyllous leaf traits that facilitate a conservative water-use strategy [109]. In contrast, forest ecosystems have significantly higher water demands [110,111]. Under future scenario projecting reduced water availability, forest tree species are likely to experience physiological stress, leading to increased tree mortality [112]. This process could facilitate the predicted expansion of savannas over existing forests, a trend reported in other studies [23,25,107,113].

Up to 52% of the land currently suitable for grasslands may present favorable conditions for the expansion of savannas in the region. This transition is likely influenced by the high pedodiversity of North of Minas Gerais. Mapping indicated that savannas are expected to gain greater suitability in the northwest region of the study area, characterized by landscapes with highly weathered and deep soils (Ferralsols). These soil properties favor the development of deep root systems in savannas, enabling more effective access to water, an essential factor in conditions of water restriction [106]. On the other hand, the eastern portion of the study area faces greater limitations for the re-establishment of savannas. This region is dominated by quartzite outcrops associated with the Espinhaço mountain chain [32,114], featuring a shallow substrate that likely hinders the growth of deep-rooted savanna formations. As a result, grasslands are expected to maintain their suitability in this area under future climate change scenarios.

These patches of grasslands, adapted to the unique lithological context of the Espinhaço mountain chain, are among the most biodiverse and endemic mountainous areas in the world [18]. Their stability in the face of climate change reinforces their importance for biodiversity and characterizes them as climate refuge [115]. However, the region's great mining potential poses a considerable threat to this rich biodiversity [116]. In this sense, conserving this grassland in the face of existing anthropogenic pressures and future climate changes is essential for maintaining ecological integrity.

The suitability for eucalyptus plantations is expected to decline by up to 79% under future climate change scenarios. Increasing temperatures and water restrictions are likely to lead to stomatal closure in eucalyptus trees, a physiological response that reduces water loss and limits carbon uptake [117,118]. This restriction can negatively affect the trees' metabolic activity and their ability to defend against pathogens [117,118]. Previous studies have documented similar negative impacts of climate change on eucalyptus plantations in Brazil and other parts of South America [119–121]. In contrast, Elli et al [122] evaluated the productivity (annual increase) of eucalyptus in Brazil and observed that plantations in a specific site in our study area will have an increase in the annual increase rate. This is because they will remain in the optimum temperature range, that is, 18 °C and 23 °C, tolerating changes in climate. However, even given the resilience of eucalyptus, our modelling showed a trend previously observed in the region: the advance of savannas over these plantations. In general, since eucalyptus is historically planted on lands previously covered by savannas in the North of Minas Gerais [80], when this crop is cut and the land is abandoned, the natural regeneration of savanna vegetation occurs [123,124].

If projections come true, the potential loss of eucalyptus suitability could affect the region's socioeconomic context. The state of Minas Gerais is one of the largest producers of eucalyptus in Brazil, playing a central role in supplying timber to the steel industry [22]. The reforestation sector has a significant influence on the socioeconomic indicators of the municipalities of Minas Gerais, including increases in per capita income and reductions in poverty rates [125]. Therefore, the decline of suitability for eucalyptus may lead to decreased employment opportunities and reduced incomes.

5. Conclusions

Our RF classification modelling indicates that the expected increase in mean air temperature and decrease in annual precipitation will drive significant changes in the environmental suitability of various LULC classes in North of Minas Gerais for the period 2061–2080. We estimate that approximately 30% of the study area may undergo some LULC transition due to these climatic changes. From an economic perspective, these projections are concerning, as the suitability for croplands and eucalyptus plantations is expected to decline, altering regional socioeconomic dynamics. Furthermore, there is a high likelihood of increased pasture degradation, leading to severe losses in biodiversity and ecosystem services, and potentially accelerating desertification—a process already observed in parts of North of Minas Gerais.

From an ecological perspective, an optimistic scenario suggests that the abandonment of croplands, pastures, and eucalyptus plantations could create opportunities for natural regeneration and restoration programs, particularly benefiting savanna species adapted to drier conditions. The success of these natural regeneration or active restoration efforts depend on factors such as the presence of natural vegetation remnants in the landscape to provide a pool of species for recolonization. In a pessimistic scenario, land abandonment may lead to the expansion of deforestation frontiers to compensate for the loss of productive areas, exacerbating the degradation of the North of Minas Gerais.

Overall, the projected land-use transitions, including the replacement of native vegetation types (e.g., forests by savannas), can have direct impacts on regional sustainability. These changes may affect agricultural productivity, livelihoods, and regional economic activities.

The generated LULC map and the projected changes in environmental suitability can serve as a basis for developing action plans to optimize agro-environmental monitoring in the region. Based on our results, we suggest the following strategies to planners and decision-makers: i) expansion of protected areas of grasslands and forests, considering the lands with stable environmental suitability indicated in our mapping, ensuring crucial ecosystem services; ii) promoting the natural regeneration of savannas, considering the predicted suitability for the coming decades; iii) introducing adaptation strategies for

croplands and eucalyptus plantations in the face of climate change, such as the selection of more resilient species and improvement of water conservation techniques.

We encourage future research to address some limitations stated in this study, including historical and future deforestation patterns, since it is essential to determine the recolonization potential of native species, inserting drivers of deforestation such as distance from rivers and roads, and land use policies, in the LULC analyses.

Author Contributions: Conceptualization, Lucas Augusto Pereira da Silva; methodology, Lucas Augusto Pereira da Silva and Taya Cristo Parreiras; software, Lucas Augusto Pereira da Silva; validation, Lucas Augusto Pereira da Silva, Edson Eyji Sano, and Taya Cristo Parreiras; formal analysis, all authors; writing—original draft preparation, Lucas Augusto Pereira da Silva; writing—review and editing, Edson Eyji Sano, Taya Cristo Parreira, Mário Marcos Espírito-Santo, Édson Luís Bolfe, Roberto Aguiar, and Cristiano Marcelo Pereira de Souza; visualization, Lucas Augusto Pereira da Silva. All authors have read and agreed to the published version of the manuscript.

Funding: This study was financed by the Minas Gerais Research Support Foundation (FAPEMIG) (L.A.P.d.S.).

Conflicts of Interest: The authors declare no conflicts of interest.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

ORIGINALITY REPORT

12%

SIMILARITY INDEX

9%

INTERNET SOURCES

10%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

1

www.mdpi.com

Internet Source

2%

2

Submitted to University of Ruhuna Matara

Student Paper

2%

3

arxiv.org

Internet Source

1%

4

Lucas Augusto Pereira da Silva, João Paulo Sena-Souza, Cristiano Pereira de Souza, Claudionor Ribeiro Silva et al. "DRIVERS OF DEGRADATION OF PASTURES IN THE CERRADO NORTH OF MINAS GERAIS - BR", RAEGA - O Espaço Geográfico em Análise, 2023

Publication

1%

5

Natalia C. Wiederkehr, Fabio F. Gama, Paulo B. N. Castro, Polyanna da Conceição Bispo et al. "Discriminating Forest Successional Stages, Forest Degradation, and Land Use in Central Amazon Using ALOS/PALSAR-2 Full-Polarimetric Data", Remote Sensing, 2020

Publication

<1%

6	www.alice.cnptia.embrapa.br Internet Source	<1 %
7	Submitted to Università degli Studi di Torino Student Paper	<1 %
8	Xiong Yin, Mingshi Li, Hongyan Lai, Weili Kou, Yue Chen, Bangqian Chen. "Utilizing Multi-Source Data and Cloud Computing Platform to Map Short-Rotation Eucalyptus Plantations Distribution and Stand Age in Hainan Island", Forests, 2024 Publication	<1 %
9	"Climate Change Risks in Brazil", Springer Science and Business Media LLC, 2019 Publication	<1 %
10	onlinepubs.trb.org Internet Source	<1 %
11	www.cemex.com Internet Source	<1 %
12	www.researchgate.net Internet Source	<1 %
13	Amazeze, Tochukwu Emmanuel. "A Geoinformation Approach for Assessing Urban Growth Impact on Farmlands Using Earth Observation Data: A Case Study of Owerri in Nigeria", Universidade NOVA de Lisboa (Portugal), 2024 Publication	<1 %

14

Seyed Jalil Alavi, Kourosh Ahmadi, Seyed Mohsen Hosseini, Masoud Tabari, Zahra Nouri. "The response of English yew (*Taxus baccata* L.) to climate change in the Caspian Hyrcanian Mixed Forest ecoregion", Regional Environmental Change, 2019

Publication

<1 %

15

mdpi-res.com

Internet Source

<1 %

16

par.nsf.gov

Internet Source

<1 %

17

www.geogsci.com

Internet Source

<1 %

18

Dimaghi Schwambach. "Hydrological and erosional dynamics: responses to changes in land uses and climate in the Cerrado biome", Universidade de São Paulo. Agência de Bibliotecas e Coleções Digitais, 2024

Publication

<1 %

19

iris.unive.it

Internet Source

<1 %

20

Emily Kimathi, Elfatih M. Abdel-Rahman, Catherine Lukhoba, Asaah Ndambi et al. "Ecological determinants and risk areas of infestation in western Kenya under changing climate ", Weed Research, 2022

Publication

<1 %

21	docplayer.fr Internet Source	<1 %
22	www.vdu.lt Internet Source	<1 %
23	link.springer.com Internet Source	<1 %
24	pure.hartpury.ac.uk Internet Source	<1 %
25	jead.um.ac.ir Internet Source	<1 %
26	www.nature.com Internet Source	<1 %
27	Anirban Mukhopadhyay, Debashis Mitra, Sugata Hazra. "Sundarbans Mangrove Systems - A Geo-Informatics Approach", CRC Press, 2021 Publication	<1 %
28	Guissart, Amandine. "Numerical and Experimental Study of Bluff Body Aerodynamics", Universite de Liege (Belgium), 2024 Publication	<1 %
29	Lucas Augusto Pereira da Silva, Andre Medeiros Rocha, Claudionor Ribeiro da Silva. "Surface temperature behavior in view of the	<1 %

conversion of tropical dry forest into
anthropic uses, northern Minas Gerais–
Brazil", PLOS ONE, 2022

Publication

30

M. N. Raphael, G. J. Marshall, J. Turner, R. L. Fogt, D. Schneider, D. A. Dixon, J. S. Hosking, J. M. Jones, W. R. Hobbs. "The Amundsen Sea Low: Variability, Change, and Impact on Antarctic Climate", Bulletin of the American Meteorological Society, 2016

Publication

<1 %

31

findresearcher.sdu.dk

Internet Source

<1 %

32

Stephen E. Watkins, Alexander C. Whittaker, Rebecca E. Bell, Lisa C. McNeill et al. "Are landscapes buffered to high-frequency climate change? A comparison of sediment fluxes and depositional volumes in the Corinth Rift, central Greece, over the past 130 k.y.", GSA Bulletin, 2018

Publication

<1 %

33

Yuqiao Long, Jing Sun, Joost Wellens, Gilles Colinet, Wenbin Wu, Jeroen Meersmans. "Mapping the Spatiotemporal Dynamics of Cropland Abandonment and Recultivation across the Yangtze River Basin", Remote Sensing, 2024

Publication

<1 %

34	journals.publishing.umich.edu Internet Source	<1 %
35	0-www-mdpi-com.brum.beds.ac.uk Internet Source	<1 %
36	Submitted to University of KwaZulu-Natal Student Paper	<1 %
37	Yeqiao Wang. "Atmosphere and Climate", CRC Press, 2020 Publication	<1 %
38	cp.copernicus.org Internet Source	<1 %
39	www.frontiersin.org Internet Source	<1 %
40	Vaz, Susana Cardoso Pereira Firmino. "Future Projections of Extreme Climatic Events Over Iberian Peninsula", Universidade de Aveiro (Portugal), 2024 Publication	<1 %
41	Yuxin Song, Xiaoting Xu, Shuoying Zhang, Xiulian Chi. "Uncertainty Assessment of Species Distribution Prediction Using Multiple Global Climate Models on the Tibetan Plateau: A Case Study of Gentiana yunnanensis and Gentiana siphonantha", Land, 2024 Publication	<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Possessive



Missing ", " Review the rules for using punctuation marks.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Proofread This part of the sentence contains an error or misspelling that makes your meaning unclear.



Proper Nouns You may need to use a capital letter for this proper noun.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



Confused You have used either an imprecise word or an incorrect word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



S/V This subject and verb may not agree. Proofread the sentence to make sure the subject agrees with the verb.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Prep. You may be using the wrong preposition.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Possessive Review the rules for possessive nouns.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Article Error You may need to remove this article.



Proofread This part of the sentence contains an error or misspelling that makes your meaning unclear.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.

PAGE 10



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", "



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word.



Prep. You may be using the wrong preposition.

PAGE 11



Article Error You may need to use an article before this word.



Confused You have used either an imprecise word or an incorrect word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Verb This verb may be incorrect. Proofread the sentence to make sure you have used the correct form of the verb.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Prep. You may be using the wrong preposition.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Wrong Form You may have used the wrong form of this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing Apos. Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Wrong Article You may have used the wrong article or pronoun. Proofread the sentence to make sure that the article or pronoun agrees with the word it describes.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Wrong Form You may have used the wrong form of this word.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.

PAGE 14



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " Review the rules for using punctuation marks.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to remove this article.



Article Error You may need to remove this article.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Prep. You may be using the wrong preposition.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Proper Nouns You may need to use a capital letter for this proper noun.



Prep. You may be using the wrong preposition.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.



Article Error You may need to use an article before this word.